ELSEVIER

Volume 270 Numbers 1–2, 29 May 1998

Journal of ALLOYS AND COMPOUNDS

Contents

Letters

Predicting T_c as a function of stoichiometric holes per total O in simple ceramic superconductors L1
H. Oesterreicher (San Diego, USA)

Crystallographic data of the ternary compounds RRhGe (R=Gd-Tm) of the TiNiSi-type structure L4
A.V. Morozkin, Yu.D. Seropegin, I.A. Sviridov (Moscow, Russia)

Effects of particle size on the electrochemical properties of $Mm(NiCoMnAl)_5$ alloy L7
Z. Zhaoliang (Beijing, P.R. China), S. Dongsheng (Jinan, P.R. China)

Colossal and constant magnetoresistance over a large temperature range between 230 and 4.2 K in $La_{0.8}Li_{0.2}MnO_3$ prepared by a partial melting technique L10
X.L. Wang (Wollongong, Australia), P. Gehringer, W. Lang (Wien, Austria), H.K. Liu, S.X. Dou (Wollongong, Australia)

New ternary compounds $R_2Mn_3Si_5$ (R=Tb–Er) with $Sc_2Fe_3Si_5$-type structure L13
A.V. Morozkin, Yu.D. Seropegin, I.A. Sviridov (Moscow, Russia)

Physics

Elastic properties of amorphous and crystalline $B_{1-x}C_x$ and boron at low temperatures 1
P.A. Medwick, B.E. White, Jr., R.O. Pohl (New York, USA)

^{57}Fe Mössbauer spectroscopic investigation of the structural details of some ternary borides 16
S.O. Yuryev, S.I. Yushchuk, Yu.B. Kuz'ma, I.E. Lopatynsky (L'viv, Ukraine)

Structural and magnetic properties of a novel compound with $Y_3(Fe, V)_{29}$ stoichiometry and disordered $CaCu_5$-type structure . 21
V. Psycharis, M. Gjoka (Attiki, Greece), O. Kalogirou (Thessaloniki, Greece), E. Devlin, D. Niarchos (Attiki, Greece)

Structural, magnetic and hydrogenation properties of $R_2Fe_{17-x}Si_x$ alloys (R=rare earth element) I. Crystal structure behaviour of the $Ce_2Fe_{17-x}Si_xH_y$ system ($0 \leq x \leq 5$, $y \leq 5$) 28
M. Artigas, D. Fruchart, O. Isnard, S. Miraglia, J.L. Soubeyroux (Grenoble, France)

Magnetic properties of crystalline and amorphous $GdFe_2H_x$ alloys prepared by hydrogenation 35
K. Mori, H. Onodera, K. Aoki, T. Masumoto (Sendai, Japan)

Tracer diffusion coefficient of tritium in vanadium and trapping effect due to zirconium impurity 42
K. Fujii, K. Hashizume, Y. Hatano, M. Sugisaki (Fukuoka, Japan)

Structure and magnetic properties of $Gd_3(Fe_{1-x}Ti_x)_{29}$ (x=0.011–0.034) 47
G. Huo, G. Rao, Z. Qiao (Beijing, P.R. China), J. Liang (Beijing and Shengyang, P.R. China), W. Tang, B. Shen (Beijing, P.R. China)

Magnetic and electrical properties of the intermetallic compounds R_7Rh_3 (R=La, Ce, Pr and Nd) 53
T. Tsutaoka, Y. Nakamori, T. Tokunaga, H. Kadomatsu (Higashi-Hiroshima, Japan), Y. Itoh (Fukuyama-Shi, Japan)

Hydrogen diffusion in Sm_2Fe_{17} and $Sm_2Fe_{14}Ga_3$ compounds 58
N. Mommer, J. van Lier, M. Hirscher, H. Kronmüller (Stuttgart, Germany)

A study of the $La_{1-x}Y_xMnSi$ ($0 \leq x \leq 0.8$) solid solution by magnetization and neutron diffraction measurements 63
I. Ijjaali, R. Welter, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France), E. Ressouche (Grenoble, France)

Effect of cold work on anisotropic magnetoresistance of $Co_{25}Ni_{75}$ 73
S.U. Jen, C.C. Liao (Taipei, Taiwan, Republic of China)

Magnetic properties and crystal structure of $R_2Co_{17-x}Ga_x$ compounds 78
C. Zhang, E. Brück, F.R. de Boer, K.H.J. Buschow (Amsterdam, The Netherlands)

Elsevier Science S.A.

Chemistry

Materials with layered structures X^1: subsolidus phase diagram of the system $FeIn_2S_4$–$FeIn_2Se_4$ 83
S. Reil, H. Haeuseler (Siegen, Germany)

Reduction of magnesium orthovanadate $Mg_3(VO_4)_2$ 88
X. Wang, H. Zhang, W. Sinkler, K.R. Poeppelmeier, L.D. Marks (Evanston, IL, USA)

Characterization of $BaSnO_3$-based ceramics. Part 1. Synthesis, processing and microstructural development 95
A.-M. Azad, N.C. Hon (Selangor, Malaysia)

Oxygen release behaviour of $Ce_{(1-x)}Zr_xO_2$ powders and appearance of $Ce_{(8-4y)}Zr_{4y}O_{(14-\delta)}$ solid solution in the ZrO_2–CeO_2–$CeO_{1.5}$ system 107
N. Izu, T. Omata, S. Otsuka-Yao-Matsuo (Osaka, Japan)

Crystal structure of 3R-$Ta_{1.08}S_2$ 115
Y. Gotoh, J. Akimoto, Y. Oosawa (Ibaraki, Japan)

The crystal structure of HfZrP 119
L. Zeng, H.F. Franzen (Ames, IA, USA)

Surface analysis of an amorphous MgNi alloy prepared by mechanical alloying for use in nickel–metal hydride batteries . . . 123
S.G. Zhang, K. Yorimitsu, S. Nohara, T. Morikawa, H. Inoue, C. Iwakura (Osaka, Japan)

Magnetic and neutron diffraction studies on potassium uranate KUO_3 127
Y. Hinatsu (Sapporo, Japan), Y. Shimojo, Y. Morii (Ibaraki, Japan)

A new scandium borocarbide: $ScB_{17}C_{0.25}$ 132
T. Tanaka (Ibaraki, Japan)

A substitution of nickel by antimony. Crystal and electronic structure of the new antimonide $Hf_6Ni_{1-x}Sb_{2+x}$ 136
H. Kleinke (Marburg, Germany)

Hydriding and electrochemical characteristics of a homogeneous amorphous Mg_2Ni-Ni composite 142
C. Iwakura, H. Inoue, S.G. Zhang, S. Nohara (Osaka, Japan)

Metallurgy

The splitting behavior of γ' particles in Ni-based alloys 145
Y.Y. Qiu (Lisboa, Portugal)

Apparent modulus of elasticity of near-equiatomic NiTi 154
Y. Liu, H. Xiang (Nedlands, Australia)

Structural and hydriding properties of amorphous MgNi with interstitially dissolved carbon 160
K. Funaki, S.-i. Orimo, H. Fujii (Higashi-Hiroshima, Japan), H. Sumida (Hiroshima, Japan)

Pressure–composition isotherms in the Mg_2Ni–H_2 system 164
M.Y. Song (Chonbuk, South Korea), H.R. Park (Kwangju, South Korea)

A study of iron nitrogenation by hot isostatic pressing 168
P. Chartier, J.P. Eymery, E. Dedieu, M. Zouggar, M.F. Beaufort, M. Grosbras (Chasseneuil du Poitou, France)

Characterization of nanocrystalline PdCuSi alloy film prepared by evaporation 175
Y. Qin (Hefei, P.R. China)

A study on non-isothermal transformation kinetics. Application to the crystallization of $Sb_{0.20}As_{0.32}Se_{0.48}$ alloy 179
J. Vázquez, P.L. López-Alemany, P. Villares, R. Jiménez-Garay (Puerto Real (Cádiz), Spain)

A comparative study of metastable alloy formation by ion mixing and thermal annealing of multilayers in the immiscible Y–Zr system 186
B.X. Liu, Z.J. Zhang, O. Jin (Nanjing, P.R. China)

Analysis of the kinetics of hydride formation during the activation of massive intermetallic samples 194
J. Bloch (Beer-Sheva, Israel)

Influence of interfaces on the plastic deformation in Ti–Al 203
L. Parrini (Zürich, Switzerland)

Standard enthalpies of formation of $CeNi_5$ and of RENi (RE=Ce, Pr, Nd, Sm, Gd, Tb, Ho, Tm and Lu), determined by high-temperature direct synthesis calorimetry 212
Q. Guo, O.J. Kleppa (Chicago, IL, USA)

Phase equilibria in the Ni–Cr–Ti system at 850°C 218
J.A. van Beek, A.A. Kodentsov, F.J.J. van Loo (Eindhoven, The Netherlands)

Materials Science

Mechanochemical synthesis of nonstoichiometric tantalum disilicide 224
G.V. Golubkova, E.Yu. Belyaev, O.I. Lomovsky (Novosibirsk, Russia)

Mechanochemical reaction between ilmenite ($FeTiO_3$) and aluminium 228
N.J. Welham (Canberra, Australia)

A study on lattice parameters of martensite in $Ti_{50.5-x}Ni_{49.5}Zr_x$ shape memory alloys 237
S.F. Hsieh, S.K. Wu (Taiwan, Republic of China)

The relations between the microstructure and the capacity decay rate of $MLNi_{3.8}Co_{0.6}Mn_{0.55}Ti_{0.05}$ alloy. I. Capacity decay rate measurements 242
C.-J. Li, X.-L. Wang (Beijing, P.R. China)

The relations between the microstructure and the capacity decay rate of the $MLNi_{3.8}Co_{0.6}Mn_{0.55}Ti_{0.05}$ alloy. II. Microstructure investigations and discussions 246
C.-J. Li, X.-L. Wang (Beijing, P.R. China)

Effect of annealing treatment on electrochemical properties of Mm-based hydrogen storage alloys for Ni/MH batteries 255
W.-K. Hu, D.-M. Kim, S.-W. Jeon, J.-Y. Lee (Taejon, South Korea)

Crystallization sequences and magnetic properties of melt-spun $Nd_2Fe_{14}B$-based nanocomposites containing Co and Cr 265
L.H. Lewis, K. Gallagher, B. Hoerman (Upton, NY, USA), V. Panchanathan (Anderson, IN, USA)

Reactivity of commercial silicon and silicides towards copper(I) chloride. Effect of aluminium, calcium and iron on the formation of copper silicide 275
B. Gillot, G. Weber (Dijon, France), H. Souha, M. Zenkouar (Fès, Morocco)

Phase constitution and fine microstructure in rapidly solidified austenitic Mn-rich Mn–Al–C alloys 281
H.Y. Lee, K.H. Han (Kyongbuk, South Korea)

Author Index of Volume 270 289

Subject Index of Volume 270 291

CONTENTS DIRECT

ContentsDirect, the ***free*** e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **ContentsDirect** is via the Internet at: **http://www.elsevier.nl/locate/ContentsDirect**. If you don't have access to the Internet you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk – specifying the title of the publication you wish to register for.